

ADDENDUM TO ALL PERMITS

General Provisions

1. The contractor shall be responsible for obtaining all required permits for construction. He shall be responsible for any damage to the street or roadway associated structures and shall make repairs as necessary to the satisfaction of the Nimishillen Township Road Superintendent. The contractor shall also be responsible for the installation and maintenance of adequate signs and warning devices to inform and protect the public. The contractor shall be responsible for the maintenance of traffic throughout the construction period.
2. The length of open trenches shall be kept to a minimum and shall be protected by signs, barricades and lights as necessary and in conformance with the requirements of the Ohio Manual of Uniform Traffic Control Devices (MUTCD).
3. The function of existing traffic control devices shall be retained at all times. Existing signs that must be relocated laterally shall be placed in accordance with the Ohio MUTCD and such signs shall not be moved without approval of the engineer. The contractor shall restore relocated signs to the position and conditions, which existed prior to construction and pavement markings.
4. No "off the road" equipment with steel tires, treads, cleats or stabilizing pads will be permitted on pavement without proper planking.
5. The traveled portion of the road shall be kept free of debris and cleaned of mud at all times. The permit holder agrees to remove any mud or debris from township roads, which have resulted from work done under the permit. In the event that the permit holder does not comply with the above, the township will attempt to notify the permit holder, but when necessary to protect the public safety, the obstruction will be removed and the cost of such removal will be charged against the bond. Repeated problems may also result in the revocation of the permit.
- 6 Neither dumpsters nor any other type of obstructions can be placed in the right of way.
7. The proper flow of storm water drainage must be maintained in the road right of way.

Individual contractor must:

1. Make all aprons to join the road surface no higher than the road edge with a slope no greater than 3/8" on the right of way. Improper drive aprons can seriously damage the drive, equipment, and personnel if struck during snow removal and maintenance.
2. The applicant and contractor also agree to save Nimishillen Township and the Board of Trustees free and harmless from any and all claims to persons or property, which might arise as a result of this work.
3. It is further agreed the owner or contractor will pay for extra work required preparing the ditch openings if not left in satisfactory condition.
4. The owner and contractor are subject to the penalty established in Section 5571.99 of the Revised Code if they fail to comply with the conditions set forth in this permit and other penalties provided by law.

New Construction

Regarding new construction on undedicated roads, no road will be accepted unless all specifications are met for all construction in the right of way. If you have any questions, please do not hesitate to call the Nimishillen Township Road Department at 330-875-3511 between the hours of 7 AM to 3:30 PM or the Nimishillen Township Administrator at 330-875-9924 between the hours of 8 AM to 3 PM.

Restoration


Restoration of all areas outside of the paved area shall be in accordance with the State of Ohio Department of Transportation Construction & Material Specifications manual, Item #659.

Received By _____

Date _____

TYPICAL APPLICATIONS OF TRAFFIC CONTROL DEVICES FOR CLOSED STREET AND DETOUR


DAYLIGHT HOURS ONLY - MUST BE PLATED AT NIGHT



REF. SEC.
7C-4
7D-4
7E-4
7F-4
7I-2

- NOTES:**
1. Display similar signs and devices for the opposite movement
 2. Use this plan for City streets and for County or Township Roads.
 3. The use of a Street Name sign mounted with a Detour sign is optional.

NIMISHILLEN TOWNSHIP ROADS



BACKFILLING AND PAVEMENT REPLACEMENT DETAIL
(Not to Scale)